







ORTOMEGA

OMEGA ORTOPEDİK SİSTEMLER

# LOCKING PLATE SYSTEM

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## ACROMIAL CLAVICLE LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 001-1-003 | 3 | Left | 001-2-003 | 3 | Right |
| 001-1-004 | 4 | Left | 001-2-004 | 4 | Right |
| 001-1-005 | 5 | Left | 001-2-005 | 5 | Right |
| 001-1-006 | 6 | Left | 001-2-006 | 6 | Right |
| 001-1-007 | 7 | Left | 001-2-007 | 7 | Right |
| 001-1-008 | 8 | Left | 001-2-008 | 8 | Right |
| 001-1-009 | 9 | Left | 001-2-009 | 9 | Right |
| 001-1-010 | 10 | Left | 001-2-010 | 10 | Right |

Standart type is used for acromial end of clavicle fracture; Extra-long is used for acromial end of clavicle and clavicle shaft fracture, HA 2,7 locking screws for head part of this plate, and HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws for shaft.

## S TYPE CLAVICLE LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 002-1-006 | 6 | Left | 002-2-006 | 6 | Right |
| 002-1-007 | 7 | Left | 002-2-007 | 7 | Right |
| 002-1-008 | 8 | Left | 002-2-008 | 8 | Right |
| 002-1-009 | 9 | Left | 002-2-009 | 9 | Right |
| 002-1-010 | 10 | Left | 002-2-010 | 10 | Right |

Used for clavicle shaft fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws.

## HOOK CLAVICLE LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 003-1-002 | 2 | Left | 003-2-002 | 2 | Right |
| 003-1-003 | 3 | Left | 003-2-003 | 3 | Right |
| 003-1-004 | 4 | Left | 003-2-004 | 4 | Right |
| 003-1-005 | 5 | Left | 003-2-005 | 5 | Right |
| 003-1-006 | 6 | Left | 003-2-006 | 6 | Right |

Used for fracture of acromial end of clavicle (Neer II), dislocation of acromioclavicular joint (Tossy III) with Ha 3,5 locking screws, Ha 3,5 cortical screws, HB 4,0 cancellous screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## PROXIMAL HUMERUS LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 004-0-003 | 3 |
| 004-0-004 | 4 |
| 004-0-005 | 5 |
| 004-0-006 | 6 |
| 004-0-008 | 8 |
| 004-0-010 | 10 |
| 004-0-012 | 12 |

Used for proximal lateral humeral fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws.

## STRAIGHT HUMERUS LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 005-0-004 | 4 |
| 005-0-005 | 5 |
| 005-0-006 | 6 |
| 005-0-007 | 7 |
| 005-0-008 | 8 |
| 005-0-009 | 9 |
| 005-0-010 | 10 |
| 005-0-011 | 11 |
| 005-0-012 | 12 |

Used for humeral shaft fracture with HA 3,5 locking screws, HA 3,5 cortical screws.

## HUMERUS DISTAL MEDIAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 006-0-003 | 3 |
| 006-0-005 | 5 |
| 006-0-007 | 7 |
| 006-0-009 | 9 |
| 006-0-011 | 11 |

Used for distal medial humeral fracture, supracondylar fracture of humerus and nonunions of humeral fracture, HA 3,5 locking screws, HA 3,5 cortical screws and HB 4,0 cancellous screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## HUMERUS DISTAL MEDIAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 007-1-003 | 3 | Left | 007-2-003 | 3 | Right |
| 007-1-005 | 5 | Left | 007-2-005 | 5 | Right |
| 007-1-007 | 7 | Left | 007-2-007 | 7 | Right |
| 007-1-009 | 9 | Left | 007-2-009 | 9 | Right |
| 007-1-011 | 11 | Left | 007-2-011 | 11 | Right |

Used for distal humeral fracture, supracondylar fracture of humerus and nonunions of humeral fracture, HA 2,7 locking screws for head part of this plate, and HA 3,5 cortical screws, HA 3,5 cortical screws and HB 4,0 cancellous screws.

## HUMERUS DISTAL DORSAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 008-1-003 | 3 | Left | 008-2-003 | 3 | Right |
| 008-1-005 | 5 | Left | 008-2-005 | 5 | Right |
| 008-1-007 | 7 | Left | 008-2-007 | 7 | Right |
| 008-1-009 | 9 | Left | 008-2-009 | 9 | Right |
| 008-1-011 | 11 | Left | 008-2-011 | 11 | Right |

Used for distal humeral fracture, supracondylar fracture of humerus and nonunions of humeral fracture, HA 3,5 locking screws for head part of this plate, and HA 3,5 locking screws, HA 3,5 cortical screws and HB 4,0 cancellous screws.

## STRAIGHT OLECRONON LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 009-0-003 | 3 |
| 009-0-004 | 4 |
| 009-0-005 | 5 |
| 009-0-006 | 6 |
| 009-0-007 | 7 |
| 009-0-008 | 8 |

Used for proximal lateral ulnar fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous

## ANATOMIC OLECRONON LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 010-1-004 | 4 | Left | 010-2-004 | 4 | Right |
| 010-1-006 | 6 | Left | 010-2-006 | 6 | Right |
| 010-1-008 | 8 | Left | 010-2-008 | 8 | Right |
| 010-1-010 | 10 | Left | 010-2-010 | 10 | Right |
| 010-1-012 | 12 | Left | 010-2-012 | 12 | Right |

Used for proximal lateral ulnar fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws.

## DISTAL RADIUS VOLAR LOCKING PLATE I

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 011-1-003 | 3 | Left | 011-2-003 | 3 | Right |
| 011-1-004 | 4 | Left | 011-2-004 | 4 | Right |
| 011-1-005 | 5 | Left | 011-2-005 | 5 | Right |
| 011-1-006 | 6 | Left | 011-2-006 | 6 | Right |
| 011-1-012 | 12 | Left | 011-2-012 | 12 | Right |

Used for distal radius fracture HA 2,5 locking screws for head part of this plate, and HA 3,5 locking screws.

## DISTAL RADIUS VOLAR LOCKING PLATE II

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 012-1-003 | 3 | Left | 012-2-003 | 3 | Right |
| 012-1-004 | 4 | Left | 012-2-004 | 4 | Right |
| 012-1-005 | 5 | Left | 012-2-005 | 5 | Right |
| 012-1-006 | 6 | Left | 012-2-006 | 6 | Right |
| 012-1-012 | 12 | Left | 012-2-012 | 12 | Right |

Used for distal radius fracture HA 2,7 locking screws for head part of this plate, and HA 3,5 locking screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## DISTAL RADIUS LATERAL STRAIGHT LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 013-0-005 | 5 |
| 013-0-006 | 6 |

Used for distal radius fracture with HA 2,7 locking screws, HA 2,4 - 2,7 cortical screws.

## DISTAL RADIUS DORSAL OBLIQUE LOCKING L PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction |
|---|---|---|
| 014-1-003 | 3+3 | Left |
| 014-1-004 | 3+4 | Left |
| 014-2-003 | 3+3 | Right |
| 014-2-004 | 3+4 | Right |

Used for distal radius fracture with HA 2,7 locking screws, HA 2,4 - 2,7 cortical screws.

## DISTAL RADIUS DORSAL LOCKING L PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction |
|---|---|---|
| 015-1-003 | 3 | Left |
| 015-1-004 | 4 | Left |
| 015-2-003 | 3 | Right |
| 015-2-004 | 4 | Right |

Used for distal radius fracture with HA 2,7 locking screws, HA 2,4 - 2,7 cortical screws.

## DISTAL RADIUS T OBLIQUE LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction |
|---|---|---|
| 016-1-003 | 3 | Left |
| 016-1-004 | 4 | Left |
| 016-2-003 | 3 | Right |
| 016-2-004 | 4 | Right |

Used for distal radius fracture with HA 2,7 locking screws, HA 2,4 - 2,7 cortical screws.

## DISTAL RADIUS DORSAL T LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 016-0-003 | 3 |
| 016-0-004 | 4 |

Used for distal radius fracture with HA 2,7 locking screws, HA 2,4 - 2,7 cortical screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## DISTAL RADIUS DORSAL LOCKING PLATE STRAIGHT

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No |
| --- |
| 017-0-000 |

Used for distal radius fracture with HA 2,4 locking screws.

## DISTAL RADIUS DORSAL LOCKING Y PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No |
| --- |
| 018-0-000 |

Used for distal radius fracture with HA 2,4 locking screws.

## DISTAL RADIUS DORSAL LOCKING L PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Direction |
| --- | --- |
| 019-1-000 | Left |
| 019-2-000 | Right |

Used for distal radius fracture with HA 2,4 locking screws.

## MEDIAL MALLEOLAR DISTAL TIBIA LOCKING PLATE

MATERİAL : Inox / DIN 1.4441



| Ref. No |
| --- |
| 000-0-001 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## RADIUS HEAD LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction |
|---|---|---|
| 020-1-003 | 3 | Left |
| 020-1-004 | 4 | Left |
| 020-1-005 | 5 | Left |
| 020-2-003 | 3 | Right |
| 020-2-004 | 4 | Right |
| 020-2-005 | 5 | Right |

Used for distal radius head fracture with HA 2,7 locking screws, for head HA 2,4 locking screws.

## RADIUS ULNA STRAIGHT LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 021-0-004 | 4 |
| 021-0-005 | 5 |
| 021-0-006 | 6 |
| 021-0-007 | 7 |
| 021-0-008 | 8 |
| 021-0-009 | 9 |
| 021-0-010 | 10 |
| 021-0-011 | 11 |
| 021-0-012 | 12 |

Used for radius and ulna fracture with HA 3,5 locking screws.

## 1/3 TUBULER LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 022-0-004 | 4 |
| 022-0-005 | 5 |
| 022-0-006 | 6 |
| 022-0-007 | 7 |
| 022-0-008 | 8 |
| 022-0-009 | 9 |
| 022-0-010 | 10 |

Used for radius, ulna and fibula fracture with HA 3,5 locking screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## MIS FEMUR DISTAL LATERAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 025-1-005 | 5 | Left | 025-2-005 | 5 | Right |
| 025-1-007 | 7 | Left | 025-2-007 | 7 | Right |
| 025-1-009 | 9 | Left | 025-2-009 | 9 | Right |
| 025-1-011 | 11 | Left | 025-2-011 | 11 | Right |
| 025-1-013 | 13 | Left | 025-2-013 | 13 | Right |

Used for distal lateral femoral (condylar) fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

## FEMUR PROXIMAL LATERAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 023-1-005 | 5 | Left | 023-2-005 | 5 | Right |
| 023-1-007 | 7 | Left | 023-2-007 | 7 | Right |
| 023-1-009 | 9 | Left | 023-2-009 | 9 | Right |
| 023-1-011 | 11 | Left | 023-2-011 | 11 | Right |
| 023-1-013 | 13 | Left | 023-2-013 | 13 | Right |

Used for proximal femoral fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

## BROAD FEMUR LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 024-0-006 | 6 |
| 024-0-007 | 7 |
| 024-0-008 | 8 |
| 024-0-009 | 9 |
| 024-0-010 | 10 |
| 024-0-012 | 12 |
| 024-0-014 | 14 |
| 024-0-016 | 16 |
| 024-0-018 | 18 |

Used for femoral shaft fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## MIS PROKSIMAL TIBIA LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 026-1-005 | 5 | Left | 026-2-005 | 5 | Right |
| 026-1-007 | 7 | Left | 026-2-007 | 7 | Right |
| 026-1-009 | 9 | Left | 026-2-009 | 9 | Right |
| 026-1-011 | 11 | Left | 026-2-011 | 11 | Right |
| 026-1-013 | 13 | Left | 026-2-013 | 13 | Right |

Used for tibial plateau fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

## PROXIMAL TIBIA MEDIAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 027-1-006 | 6 | Left | 027-2-006 | 6 | Right |
| 027-1-008 | 8 | Left | 027-2-008 | 8 | Right |
| 027-1-010 | 10 | Left | 027-2-010 | 10 | Right |
| 027-1-012 | 12 | Left | 027-2-012 | 12 | Right |

Used for tibial plateau fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

## NARROW TIBIA LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Ref. No | Hole |
|---|---|---|---|
| 028-0-004 | 4 | 028-0-009 | 9 |
| 028-0-005 | 5 | 028-0-010 | 10 |
| 028-0-006 | 6 | 028-0-012 | 12 |
| 028-0-007 | 7 | 028-0-014 | 14 |
| 028-0-008 | 8 | 028-0-016 | 16 |

Used for tibial shaft fracture with HA 5,0 locking screws, HA 4,5 cortical screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## DISTAL TIBIA MEDIAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 029-1-004 | 4 | Left | 029-2-004 | 4 | Right |
| 029-1-006 | 6 | Left | 029-2-006 | 6 | Right |
| 029-1-008 | 8 | Left | 029-2-008 | 8 | Right |
| 029-1-010 | 10 | Left | 029-2-010 | 10 | Right |
| 029-1-012 | 12 | Left | 029-2-012 | 12 | Right |
| 029-1-014 | 14 | Left | 029-2-014 | 14 | Right |

Used for distal tibia fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws.

## TIBIA DISTAL ANTERIOR LATERAL LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 030-1-006 | 6 | Left | 030-1-006 | 6 | Right |
| 030-1-008 | 8 | Left | 030-1-008 | 8 | Right |
| 030-1-010 | 10 | Left | 030-1-010 | 10 | Right |
| 030-1-012 | 12 | Left | 030-1-012 | 12 | Right |
| 030-1-014 | 14 | Left | 030-1-014 | 14 | Right |
| 030-1-016 | 16 | Left | 030-1-016 | 16 | Right |

Used for distal tibia fracture with HA 3,5 locking screws, HA 3,5 cortical screws, HB 4,0 cancellous screws.

## DISTAL FIBULA LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 031-0-003 | 3 |
| 031-0-004 | 4 |
| 031-0-005 | 5 |
| 031-0-006 | 6 |
| 031-0-007 | 7 |
| 031-0-008 | 8 |
| 031-0-009 | 9 |
| 031-0-010 | 10 |
| 031-0-012 | 12 |

Used for distal fibular fracture with HA 3,5 locking screws, HA 3,5 locking screws and HA 3,5 cortical screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## DISTAL FIBULA LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 032-1-003 | 3 | Left | 032-2-003 | 3 | Right |
| 032-1-004 | 4 | Left | 032-2-004 | 4 | Right |
| 032-1-005 | 5 | Left | 032-2-005 | 5 | Right |
| 032-1-007 | 7 | Left | 032-2-007 | 7 | Right |
| 032-1-009 | 9 | Left | 032-2-009 | 9 | Right |
| 032-1-011 | 11 | Left | 032-2-011 | 11 | Right |
| 032-1-013 | 13 | Left | 032-2-013 | 13 | Right |

Used for proximal lateral fibular fracture with HA 3,5 locking screws, HA 3,5 cortical screws, head holes used 2,7 locking screws.

## TIBIAL PROXIMAL LOCKING L PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole | Direction | Ref. No | Hole | Direction |
|---|---|---|---|---|---|
| 033-1-004 | 4 | Left | 033-1-004 | 4 | Right |
| 033-1-005 | 5 | Left | 033-1-005 | 5 | Right |
| 033-1-006 | 6 | Left | 033-1-006 | 6 | Right |

Used for tibial plateau fracture with HA 5,0 locking screws and HA 4,5 cortical screws.

## TIBIA PROXIMAL DOUBLE CURVED LOCKING T PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 034-0-004 | 4 |
| 034-0-005 | 5 |
| 034-0-006 | 6 |

Used for tibial plateau medial fracture with HA 5,0 locking screws and HA 4,5 cortical screws.

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## CALCANEUS LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Size | Direction | Ref. No | Size | Direction |
|---|---|---|---|---|---|
| 035-1-001 | Small | Left | 035-2-001 | Small | Right |
| 035-1-002 | Medium | Left | 035-2-002 | Medium | Right |
| 035-1-003 | Large | Left | 035-2-003 | Large | Right |

Used for HA 3,5 locking screws.

## BUNION ANATOMIC LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Length mm | Direction | Ref. No | Length mm | Direction |
|---|---|---|---|---|---|
| 036-1-032 | 32 | Left | 036-2-032 | 32 | Right |
| 036-1-034 | 34 | Left | 036-2-034 | 34 | Right |
| 036-1-036 | 36 | Left | 036-2-036 | 36 | Right |

Used for HA 3,5 locking screws

## HALLUX VALGUS ANATOMIC LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Deg. | Direction | Ref. No | Deg. | Direction |
|---|---|---|---|---|---|
| 037-1-000 | 0 | Left | 037-2-000 | 0 | Right |
| 037-1-002 | 2 | Left | 037-2-002 | 2 | Right |
| 037-1-004 | 4 | Left | 037-2-004 | 4 | Right |
| 037-1-006 | 6 | Left | 037-2-006 | 6 | Right |

Used for HA 3,5 locking screws

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## PELVIC STRAIGHT LOCKING RECONSTRUCTION PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 038-0-005 | 5 |
| 038-0-006 | 6 |
| 038-0-007 | 7 |
| 038-0-008 | 8 |
| 038-0-010 | 10 |
| 038-0-012 | 12 |
| 038-0-014 | 14 |

Used for HA 3,5 cortical screws.

## PELVIC CURVED LOCKING RECONSTROCTION PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Hole |
|---|---|
| 039-0-008 | 8 |
| 039-0-010 | 10 |
| 039-0-012 | 12 |
| 039-0-014 | 14 |

Used for HA 3,5 cortical screws.

## FEMUR OSTEOTOMI LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Direction |
|---|---|
| 040-1-000 | Left |
| 040-2-000 | Right |

Used with HA 5,0 locking screws, HA 4,5 cortical screws

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## TIBIA OSTEOTOMI LOCKING PLATE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Direction |
|---|---|
| 041-1-000 | Left |
| 041-2-000 | Right |

Used with HA 5,0 locking screws, HA 4,5 cortical screws

## TIBIA OSTEOTOMI LOCKING PLATE LIFT TYPE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No |
|---|
| 042-0-001 |

Used with HA 5,0 locking screws, HA 4,5 cortical screws

## TIBIA OSTEOTOMI LOCKING PLATE LIFT TYPE WEDGE

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No |
|---|
| 042-0-002 |

Used with HA 5,0 locking screws, HA 4,5 cortical screws

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## CORTICAL SCREW SELF TAPPING

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Length mm | 2.7 mm | 3.5 mm | 4.0 mm | 4.5 mm |
|---|---|---|---|---|
| | Ref. No | | | |
| 10 | 270-0-010 | | | |
| 12 | 270-0-012 | 350-0-012 | 400-0-012 | |
| 14 | 270-0-014 | 350-0-014 | 400-0-014 | 450-0-014 |
| 16 | 270-0-016 | 350-0-016 | 400-0-016 | 450-0-016 |
| 18 | 270-0-018 | 350-0-018 | 400-0-018 | 450-0-018 |
| 20 | 270-0-020 | 350-0-020 | 400-0-020 | 450-0-020 |
| 22 | 270-0-022 | 350-0-022 | 400-0-022 | 450-0-022 |
| 24 | 270-0-024 | 350-0-024 | 400-0-024 | 450-0-024 |
| 26 | 270-0-026 | 350-0-026 | 400-0-026 | 450-0-026 |
| 28 | 270-0-028 | 350-0-028 | 400-0-028 | 450-0-028 |
| 30 | 270-0-030 | 350-0-030 | 400-0-030 | 450-0-030 |
| 32 | 270-0-032 | 350-0-032 | 400-0-032 | 450-0-032 |
| 34 | 270-0-034 | 350-0-034 | 400-0-034 | 450-0-034 |
| 36 | 270-0-036 | 350-0-036 | 400-0-036 | 450-0-036 |
| 38 | 270-0-038 | 350-0-038 | 400-0-038 | 450-0-038 |
| 40 | 270-0-040 | 350-0-040 | 400-0-040 | 450-0-040 |
| 42 | | | | 450-0-042 |
| 44 | | | | 450-0-044 |
| 45 | 270-0-045 | 350-0-045 | 400-0-045 | |
| 46 | | | | 450-0-046 |
| 48 | | | | 450-0-048 |
| 50 | 270-0-050 | 350-0-050 | 400-0-050 | 450-0-050 |
| 55 | | 350-0-055 | | 450-0-055 |
| 60 | | 350-0-060 | | 450-0-060 |
| 65 | | 350-0-065 | | 450-0-065 |
| 70 | | 350-0-070 | | 450-0-070 |
| 75 | | 350-0-075 | | 450-0-075 |
| 80 | | 350-0-080 | | 450-0-080 |
| 85 | | | | 450-0-085 |
| 90 | | | | 450-0-090 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## LOCKING CORTICAL SCREW SELF TAPPING

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Length mm | 2.4 mm | 2.7 mm | 3.0 mm | 3.5 mm | 4.0 mm | 5.0 mm |
|---|---|---|---|---|---|---|
| | Ref. No | | | | | |
| 10 | 240-1-010 | 270-1-010 | | 350-1-010 | | |
| 12 | 240-1-012 | 270-1-012 | 300-1-012 | 350-1-012 | | |
| 14 | 240-1-014 | 270-1-014 | 300-1-014 | 350-1-014 | 400-1-014 | 500-1-014 |
| 16 | 240-1-016 | 270-1-016 | 300-1-016 | 350-1-016 | 400-1-016 | 500-1-016 |
| 18 | 240-1-018 | 270-1-018 | 300-1-018 | 350-1-018 | 400-1-018 | 500-1-018 |
| 20 | 240-1-020 | 270-1-020 | 300-1-020 | 350-1-020 | 400-1-020 | 500-1-020 |
| 22 | 240-1-022 | 270-1-022 | 300-1-022 | 350-1-022 | 400-1-022 | 500-1-022 |
| 24 | 240-1-024 | 270-1-024 | 300-1-024 | 350-1-024 | 400-1-024 | 500-1-024 |
| 26 | 240-1-026 | 270-1-026 | 300-1-026 | 350-1-026 | 400-1-026 | 500-1-026 |
| 28 | 240-1-028 | 270-1-028 | 300-1-028 | 350-1-028 | 400-1-028 | 500-1-028 |
| 30 | 240-1-030 | 270-1-030 | 300-1-030 | 350-1-030 | 400-1-030 | 500-1-030 |
| 32 | | 270-1-032 | 300-1-032 | 350-1-032 | 400-1-032 | 500-1-032 |
| 34 | | 270-1-034 | | 350-1-034 | 400-1-034 | 500-1-034 |
| 36 | | 270-1-036 | | 350-1-036 | 400-1-036 | 500-1-036 |
| 38 | | 270-1-038 | | 350-1-038 | 400-1-038 | 500-1-038 |
| 40 | | 270-1-040 | | 350-1-040 | 400-1-040 | 500-1-040 |
| 42 | | | | | | 500-1-042 |
| 44 | | | | | | 500-1-044 |
| 45 | | 270-1-045 | | 350-1-045 | 400-1-045 | |
| 46 | | | | | | 500-1-046 |
| 48 | | | | | | 500-1-048 |
| 50 | | 270-1-050 | | 350-1-050 | 400-1-050 | 500-1-050 |
| 55 | | 270-1-055 | | 350-1-055 | | 500-1-055 |
| 60 | | 270-1-060 | | 350-1-060 | | 500-1-060 |
| 65 | | | | 350-1-065 | | 500-1-065 |
| 70 | | | | 350-1-070 | | 500-1-070 |
| 75 | | | | 350-1-075 | | 500-1-075 |
| 80 | | | | 350-1-080 | | 500-1-080 |
| 85 | | | | | | 500-1-085 |
| 90 | | | | | | 500-1-090 |
| 95 | | | | | | 500-1-095 |
| 100 | | | | | | 500-1-100 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## CANNULATED LOCKING CORTICAL SCREW

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Length mm | 2.7 mm | 3.5 mm | 5.0 mm |
|---|---|---|---|
| | | Ref. No | |
| **10** | 270-2-010 | 350-2-010 | |
| **12** | 270-2-012 | 350-2-012 | |
| **14** | 270-2-014 | 350-2-014 | |
| **16** | 270-2-016 | 350-2-016 | |
| **18** | 270-2-018 | 350-2-018 | |
| **20** | 270-2-020 | 350-2-020 | 500-2-020 |
| **22** | 270-2-022 | 350-2-022 | 500-2-022 |
| **24** | 270-2-024 | 350-2-024 | 500-2-024 |
| **26** | 270-2-026 | 350-2-026 | 500-2-026 |
| **28** | 270-2-028 | 350-2-028 | 500-2-028 |
| **30** | 270-2-030 | 350-2-030 | 500-2-030 |
| **32** | 270-2-032 | 350-2-032 | 500-2-032 |
| **34** | 270-2-034 | 350-2-034 | 500-2-034 |
| **36** | 270-2-036 | 350-2-036 | 500-2-036 |
| **38** | 270-2-038 | 350-2-038 | 500-2-038 |
| **40** | 270-2-040 | 350-2-040 | 500-2-040 |
| **45** | 270-2-045 | 350-2-045 | 500-2-045 |
| **50** | 270-2-050 | 350-2-050 | 500-2-050 |
| **55** | | 350-2-055 | 500-2-055 |
| **60** | | 350-2-060 | 500-2-060 |
| **65** | | | 500-2-065 |
| **70** | | | 500-2-070 |
| **75** | | | 500-2-075 |
| **80** | | | 500-2-080 |
| **85** | | | 500-2-085 |
| **90** | | | 500-2-090 |
| **95** | | | 500-2-095 |
| **100** | | | 500-2-100 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## CANCELLOUS SCREW

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)






| Length mm | 4.0 mm Partial Threaded | 4.0 mm Full Threaded | 6.5 mm 16 mm Threaded | 6.5 mm 32 mm Threaded |
|---|---|---|---|---|
| | Ref. No | | | |
| 14 | 940-0-014 | 940-1-014 | | |
| 16 | 940-0-016 | 940-1-016 | | |
| 18 | 940-0-018 | 940-1-018 | | |
| 20 | 940-0-020 | 940-1-020 | | |
| 22 | 940-0-022 | 940-1-022 | | |
| 24 | 940-0-024 | 940-1-024 | | |
| 26 | 940-0-026 | 940-1-026 | | |
| 28 | 940-0-028 | 940-1-028 | | |
| 30 | 940-0-030 | 940-1-030 | | |
| 32 | 940-0-032 | 940-1-032 | | |
| 34 | 940-0-034 | 940-1-034 | | |
| 36 | 940-0-036 | 940-1-036 | | |
| 38 | 940-0-038 | 940-1-038 | | |
| 40 | 940-0-040 | 940-1-040 | | |
| 42 | 940-0-042 | 940-1-042 | | |
| 44 | 940-0-044 | 940-1-044 | | |
| 46 | 940-0-046 | 940-1-046 | | |
| 48 | 940-0-048 | 940-1-048 | | |
| 50 | 940-0-050 | 940-1-050 | 965-0-050 | 965-1-050 |
| 55 | | | 965-0-055 | 965-1-055 |
| 60 | | | 965-0-060 | 965-1-060 |
| 65 | | | 965-0-065 | 965-1-065 |
| 70 | | | 965-0-070 | 965-1-070 |
| 75 | | | 965-0-075 | 965-1-075 |
| 80 | | | 965-0-080 | 965-1-080 |
| 85 | | | 965-0-085 | 965-1-085 |
| 90 | | | 965-0-090 | 965-1-090 |
| 95 | | | 965-0-095 | 965-1-095 |
| 100 | | | 965-0-100 | 965-1-100 |
| 105 | | | 965-0-105 | 965-1-105 |
| 110 | | | 965-0-110 | 965-1-110 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## LOCKING CANCELLOUS SCREW

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Length mm | 5.0 mm Partial Threaded | 5.0 mm Full Threaded |
|---|---|---|
| | Ref. No | |
| 40 | 950-1-040 | 950-2-040 |
| 45 | 950-1-045 | 950-2-045 |
| 50 | 950-1-050 | 950-2-050 |
| 55 | 950-1-055 | 950-2-055 |
| 60 | 950-1-060 | 950-2-060 |
| 65 | 950-1-065 | 950-2-065 |
| 70 | 950-1-070 | 950-2-070 |
| 75 | 950-1-075 | 950-2-075 |
| 80 | 950-1-080 | 950-2-080 |
| 85 | 950-1-085 | 950-2-085 |
| 90 | 950-1-090 | 950-2-090 |
| 95 | 950-1-095 | 950-2-095 |
| 100 | 950-1-100 | 950-2-100 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## LOCKING CANNULATED CANCELLOUS SCREW

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)





| Length mm | 5.0 mm Partial Threaded |
|---|---|
| | Ref. No |
| 40 | 950-3-040 |
| 45 | 950-3-045 |
| 50 | 950-3-050 |
| 55 | 950-3-055 |
| 60 | 950-3-060 |
| 65 | 950-3-065 |
| 70 | 950-3-070 |
| 75 | 950-3-075 |
| 80 | 950-3-080 |
| 85 | 950-3-085 |
| 90 | 950-3-090 |
| 95 | 950-3-095 |
| 100 | 950-3-100 |

ORTOMEGA
OMEGA ORTOPEDİK SİSTEMLER

## INSERT SCREW

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Diameter mm |
|---|---|
| 000-0-001 | 4.0 |
| 000-0-002 | 4.5 |

## HOLE COVER

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Diameter mm |
|---|---|
| 000-0-003 | 3.5 |
| 000-0-004 | 5.0 |

## LOCKING BUTTON

MATERİAL : Titanyum Alloy (Ti6Al4V Gr5)



| Ref. No | Diameter mm |
|---|---|
| 000-0-005 | 3.5 |
| 000-0-006 | 5.0 |

